P3-DS319-HR Digital Input/Counting Sensor




For use with the D3 family of wireless base stations Compatible with a full range of Inteligent Wireless Transmitters (supplied separately)

Connects to any industry standard device with a volt free digital output for measuring status of plant and machinery. In addition to status the sensor also counts the number of contacts.

Common uses: Door monitoring providing both the status and number of occurrences. Plant status monitoring. Flood detection systems.

Product Drawing:



Compatible P2-WS Wireless Transmitters

Part No. Description P2-WS102-0433 - Single Input Wireless Transmitter with Hirose Connector (433Mhz) P2-WS103-0433 - Dual Input Wireless Transmitter with Hirose Connectors (433Mhz) P2-WS103-2400 - Single Input Wireless Transmitter with Hirose Connectors (2.4Ghz) P2-WS103-2400 - Dual Input Wireless Transmitter with Hirose Connectors (2.4Ghz) Compatible Accessories Part No. Description P7-SA1010 - Intelligent Sensor Extension Cable - 4 meter

Doc: 106-10054-01 (DataSheet Inteligent Sensor Range)

Visit: www.tek-troniks.com Call: 0115 9890090

Product Disclaimer:

The recommendations and suggestions regarding product application and use that are offered on Tek-troniks.com, in our product brochures, datasheets, or information provided by any employee or distributor, are a guide in the use of this product and are not a guarantee to their performance. Tektroniks reserve the right to alter specification of their products without prior warning or notification. Always read instruction manuals fully before installing any Tektroniks component.